

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

**IN THE APPLICATION OF:**

**Applicant: Donald Schmidt**

**Serial Number: 09/932,081      Art Unit: 3635**

**Filed: August 20, 2001      Examiner: Steve Varner**

**For: MODIFIED FLAT WALL MODULAR INSULATED CONCRETE  
FORM SYSTEM**

**REQUEST FOR CORRECTED OFFICE ACTION  
AND MAILING DATE RESET**

**Commissioner of Patents and Trademarks  
PO Box 1450  
Alexandria, Virginia 22313-1450**

**Sir:**

We have received an Office Action for the above-referenced application dated May 20, 2003. The References cited in the Office Action were not included in the mailing, nor were some of them included on PTO-892.

I hereby request that a corrected Office Action be mailed. Additionally, I hereby request that the date determining the time for response be reset to the new mailing date so that the Applicant can have the full response time.

Kindly mail all correspondence to the below named Agent of record. I anticipate an early examination and allowance.

Respectfully submitted,



Eugene Byrd  
Registration No. 47,361

Agent for Applicant

PO Box 2607

Fairfax, VA 22031

(703) 370-6282

Date Submitted: June 10, 2003

**SIEMENS PATENT SERVICES**

PO Box 42118  
Fredericksburg, VA 22404  
(540) 548-4404  
Fax 540-548-4434

fax

FAX RECEIVED

JUN 12 2003

GROUP 3600

to: Group 3635

fax #: 703-872-9326

from: Eugene Byrd

date: June 10, 2003

subject: Serial Number 09/932,081

pages: 2

Official

Message: Attached please find a request for the mailing of a corrected Office Action and a request to have the date for response time restarted. Thank you.